

SUPPLEMENTS FOR CONSIDERATION

These vegan-friendly supplements are available for purchase at Fertility Solutions.

Natal Care Capsules – (60 or 150 Capsules)

This is a multi-vitamin suitable for preconception, pregnancy, breastfeeding and male fertility.

Should be commenced a minimum of 3 months before trying to conceive.

Contains vital nutrients including the following:

- **Folic Acid:** Folic acid is the most stable form of folate, and the bioavailability is approximately 70% greater than natural folate in foods. Folic Acid has been shown to prevent neural tube defects (spina bifida, cleft palate and cleft lip), in babies. It is essential for efficient cell division and growth, including sperm and egg cells.
- **High Vitamin D:** Deficiency in females (<100nmol/L), is thought to affect many reproductive factors including egg quality, endometrial environment and the immune system. In males, deficiency and excess (<50nmol/L or >150nmol/L), is associated with lowered sperm count, reduced sperm motility and abnormal sperm shape (morphology). Vitamin D is essential for inducing the acrosome reaction (enables the sperm to penetrate the egg) during sperm and egg fusion.
- **Iodine:** Deficiency has been associated with an increase in the risk of miscarriage and stillbirth.
- **Zinc:** Deficiency has been associated with reduced sperm fertilisation capacity with supplementation increasing semen volume, progressive motility, and total normal sperm count.
- **Vitamin A:** Is required for healthy fallopian tube hairlike (ciliary) function. Deficiency is linked to ovulation disorders, infertility, miscarriage and cleft palate.

Dosage: 2 capsules daily or as directed by your healthcare provider.

SynQ10 Balanced Coenzyme Q10 Formula – (60 Capsules)

This is a CoQ10 antioxidant supplement.

SynQ10 Balanced Coenzyme Q10 is:

- **A powerful antioxidant** - help reduce free radicals that form in the body which damage healthy cells including egg and sperm cells. CoQ10 production in the body declines with age.
- Thought to improve responsiveness to ovarian stimulation and in conjunction with DHEA has resulted in a higher number of mature follicles on the day of trigger.
- Supplementation may increase endometrial thickness, ovulation rate and pregnancy rates in women with PCOs when given with clomiphene citrate- specific dosage 150mg/day during cycle days 2-6.
- Indicated for men with subnormal semen analysis results, high levels of sperm DNA fragmentation and varicocele associated reduced sperm motility.
- Associated with improved sperm count, morphology (shape), and motility in cases where these are abnormal with no known cause.

Dosage (Women): 4 capsules daily (600mg) or as directed by your healthcare provider.

Dosage (Men): 1 to 2 capsules daily (150-300mg) or as directed by your healthcare provider.

SUPPLEMENTS FOR CONSIDERATION

These vegan-friendly supplements are available for purchase at Fertility Solutions.

Oxyguard Capsules – (60 Capsules)

For male infertility. Broad spectrum antioxidant that helps reduce free radicals that form in the body which can damage sperm cells.

Contains vital nutrients including the following:

- **Selenium:** May increase sperm motility.
- **Zinc:** Deficiency may be associated with reduced sperm fertilisation capacity with supplementation increasing semen volume, progressive motility, and total normal sperm count.
- **Vitamin C:** Has been thought to reduce sperm agglutination (clumping), and damage from free radicals. Supplementation may also improve sperm count, morphology (shape) and motility along with an improvement with ICSI success rates.

Dosage: 2 capsules daily or as directed by your healthcare provider.

Vitamin D Spray – (50ml Spray)

For females and males who are found to be Vitamin D deficient. 1 spray equivalent to 1000iu.

Note that the Natal Care supplement contains a daily dose of 1000iu.

Vitamin D may assist and support in the following ways:

- Supports bone health, mineralization, calcium absorption and maintains healthy immune system function.
- May Improve fertility outcomes in women with PCOs and reduce risk of developing gestational diabetes.
- Vitamin D plays an important role in embryo implantation and the regulation of local immunological embryo protection.
- Deficiency in early pregnancy has been associated with an increased risk of pre- eclampsia.
- Studies have shown women undergoing assisted reproductive technology treatments including IVF, who have normal vitamin D levels have a higher live birth rate than women who are vitamin D deficient.

Dosage: will depend on Vit D levels. Dosage of 1-5 sprays daily or as directed by your healthcare professional.

N-Acetylcysteine (NAC) – (60 Capsules or 60g Powder)

NAC levels decline with age and is an antioxidant that is thought to be especially beneficial for women with PCOs and endometriosis and men with motility and morphology sperm issues.

NAC is used by the body to build antioxidants and has many general health benefits, primarily:

- Supporting detoxification of environmental / endocrine disrupting toxins – chemicals.
- For women with PCO – assists with menstrual regulatory, hormonal profile, insulin sensitivity, action of metformin and clomid and pregnancy rates.
- Can reduce pain associated with endometriosis and may improve pregnancy chances in women who have experienced recurrent implantation failure.
- May improve pregnancy continuation & live birth rates in women with a history of recurrent. unexplained pregnancy loss specific dose 600-1200mg daily from positive pregnancy test up until at least 20 weeks gestation but can be taken right through pregnancy and breastfeeding. Please consult your healthcare provider before taking medications whilst pregnant.
- Observed to increase sperm count and motility especially when used in conjunction with other antioxidants ie Vit C, SynQ10.

Dosage (Women): 1 x scoop (1g) twice daily or 1 capsule three times a day or as directed by your healthcare provider.

Dosage (Men): 600mg daily (just over half a scoop or 1 capsule) or as directed by your healthcare provider.

SUPPLEMENTS FOR CONSIDERATION

These vegan-friendly supplements are available for purchase at Fertility Solutions.

BioHeme Capsules – (30 Capsules)

BioHeme is an iron supplement. It has benefits over other iron supplements in increasing hemoglobin concentration and reducing GI adverse events among pre and pregnant women. It is gentler to the GI tract and has less side effects often associated with iron supplementation such as diarrhea and constipation. It also contains ascorbic acid (Vitamin C), which assists with the absorption and metabolism of iron.

Dosage: 1 capsule daily or as directed by your healthcare provider.

PCOs Spray – (20ml Spray)

Contains traditional homeopathic remedies that target PMS, ovarian swelling, oedema and spasms. They can also help reduce pain associated with uterine cramps and migraines and support female reproductive and hormonal health.

Dosage: 4-5 sprays under the tongue 2-3 times a day with frequency of dose being increased during acute phases.


Metagenics T-Clear (Inositol) – (60 Capsules)

Inositol is required for healthy glucose disposal as it is converted to D-chiro-inositol, a second messenger associated with healthy glucose uptake, in healthy people. Chromium also maintains healthy blood glucose levels by augmenting insulin dependent GLUT4 membrane translocation thereby aiding the transport of glucose into cells. Compared to women with normal androgens, women with elevated androgens are more likely to exhibit abdominal adiposity.

Inositol may support normal testosterone balance. As androgens are a major steroid regulator of human hair growth, inositol may assist women with hormone-mediated hair growth. A clinical trial on 46 female subjects with mild to moderate hirsutism showed that when they took 2.0 g inositol plus 200 µg folic acid, twice daily, there was a significant reduction in hirsutism and testosterone (Figure One).

Dosage (Acute): 2 capsules twice daily or as directed by your healthcare provider.

Dosage (Maintenance): 2 capsules once daily or as directed by your healthcare provider.



SUPPLEMENTS FOR CONSIDERATION

These vegan-friendly supplements are available for purchase at Fertility Solutions.

References

1. Chavarro, J. E., Rich-Edwards, J. W., Rosner, B. A., & Willett, W. C. (2008). Use of multivitamins, intake of B vitamins, and risk of ovulatory infertility. *Fertility and Sterility*, 89(3), 668–76. <https://doi.org/10.1016/j.fertnstert.2007.03.089>
2. Cetin, I., Berti, C., & Calabrese, S. (2010). Role of micronutrients in the periconceptual period. *Human Reproduction Update*, 16(1), 80–95. <https://doi.org/10.1093/humupd/dmp025>
3. Ray, J. G., Wyatt, P. R., Thompson, M. D., Vermeulen, M. J., Meier, C., Wong, P.-Y., ... Cole, D. E. C. (2007). Vitamin B12 and the risk of neural tube defects in a folic-acid-fortified population. *Epidemiology* (Cambridge, Mass.), 18(3), 362–6. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/17474166>
4. Duggan, C., Srinivasan, K., Thomas, T., Samuel, T., Rajendran, R., Muthayya, S., ... Kurpad, A. V. (2014). Vitamin B-12 supplementation during pregnancy and early lactation increases maternal, breast milk, and infant measures of vitamin B-12 status. *The Journal of Nutrition*, 144(5), 758–64. <https://doi.org/10.3945/jn.113.187278>
5. Dabrowski, F., Grzechocinska, B., & Wielgos, M. (2015). The Role of Vitamin D in Reproductive Health—A Trojan Horse or the Golden Fleece? *Nutrients*, 7(6), 4139–4153. <https://doi.org/10.3390/nu7064139>
6. Bodnar, L. M., Catov, J. M., Simhan, H. N., Holick, M. F., Powers, R. W., & Roberts, J. M. (2007). Maternal vitamin D deficiency increases the risk of preeclampsia. *The Journal of Clinical Endocrinology and Metabolism*, 92(9), 3517–22. <https://doi.org/10.1210/jc.2007-0718>
7. De-Regil, L. M., Peña-Rosas, J. P., Fernández-Gaxiola, A. C., & Rayco-Solon, P. (2015). Effects and safety of periconceptual oral folate supplementation for preventing birth defects. *Cochrane Database of Systematic Reviews*, (12), CD007950. <https://doi.org/10.1002/14651858.CD007950.pub3>
8. Peña-Rosas, J. P., De-Regil, L. M., Garcia-Casal, M. N., & Dowswell, T. (2015). Daily oral iron supplementation during pregnancy. In J. P. Peña-Rosas (Ed.), *Cochrane Database of Systematic Reviews* (p. CD004736). Chichester, UK: John Wiley & Sons, Ltd. <https://doi.org/10.1002/14651858.CD004736.pub5>
9. Amin, A. F., Shaaban, O. M., & Bediawy, M. A. (2008). N-acetyl cysteine for treatment of recurrent unexplained pregnancy loss. *Reproductive Biomedicine Online*, 17(5), 722–6. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/18983759>
10. Dabrowski, F., Grzechocinska, B., & Wielgos, M. (2015). The Role of Vitamin D in Reproductive Health—A Trojan Horse or the Golden Fleece? *Nutrients*, 7(6), 4139–4153. <https://doi.org/10.3390/nu7064139>
11. Gat, I., Blanco Mejia, S., Balakier, H., Librach, C. L., Claessens, A., & Ryan, E. A. J. (2016). The use of coenzyme Q10 and DHEA during IUI and IVF cycles in patients with decreased ovarian reserve. *Gynecological Endocrinology*, 32(7), 534–537. <https://doi.org/10.3109/09513590.2015.1137095>
12. Porpora, M. G., Brunelli, R., Costa, G., Imperiale, L., Krasnowska, E. K., Lundeberg, T., ... Parasassi, T. (2013). A promise in the treatment of endometriosis: an observational cohort study on ovarian endometrioma reduction by N-acetylcysteine. *Evidence-Based Complementary and Alternative Medicine : eCAM*, 2013, 240702. <https://doi.org/10.1155/2013/240702>
13. Maged, A. M., Elsayah, H., Abdelhafez, A., Bakry, A., & Mostafa, W. A. (2015). The adjuvant effect of metformin and N-acetylcysteine to clomiphene citrate in induction of ovulation in patients with Polycystic Ovary Syndrome. *Gynecological Endocrinology : The Official Journal of the International Society of Gynecological Endocrinology*, 31(8), 635–8. <https://doi.org/10.3109/09513590.2015.1037269>
14. Salehpour, S., Sene, A. A., Saharkhiz, N., Sohrabi, M. R., & Moghimian, F. (2012). N-Acetylcysteine as an adjuvant to clomiphene citrate for successful induction of ovulation in infertile patients with polycystic ovary syndrome. *The Journal of Obstetrics and Gynaecology Research*, 38(9), 1182–6. <https://doi.org/10.1111/j.1447-0756.2012.01844.x>
15. Badawy, A., State, O., & Abdelgawad, S. (2007). N-Acetyl cysteine and clomiphene citrate for induction of ovulation in polycystic ovary syndrome: a cross-over trial. *Acta Obstetrica et Gynecologica Scandinavica*, 86(2), 218–22. <https://doi.org/10.1080/00016340601090337>

SUPPLEMENTS FOR CONSIDERATION

These vegan-friendly supplements are available for purchase at Fertility Solutions.

16. Nasr, A. (2010). Effect of N-acetyl-cysteine after ovarian drilling in clomiphene citrate-resistant PCOS women: a pilot study. *Reproductive Biomedicine Online*, 20(3), 403–9. <https://doi.org/10.1016/j.rbmo.2009.12.012>
17. Oner, G., & Muderris, I. I. (2011). Clinical, endocrine and metabolic effects of metformin vs N-acetyl- cysteine in women with polycystic ovary syndrome. *European Journal of Obstetrics, Gynecology, and Reproductive Biology*, 159(1), 127–31. <https://doi.org/10.1016/j.ejogrb.2011.07.005>
18. Thomson, R. L., Spedding, S., & Buckley, J. D. (2012). Vitamin D in the aetiology and management of polycystic ovary syndrome. *Clinical Endocrinology*, 77(3), 343–350. <https://doi.org/10.1111/j.1365-2265.2012.04434.x>
19. El Refaee, A., Selem, A., & Badawy, A. (2014). Combined coenzyme Q10 and clomiphene citrate for ovulation induction in clomiphene-citrate-resistant polycystic ovary syndrome. *Reproductive BioMedicine Online*, 29(1), 119–124. <https://doi.org/10.1016/j.rbmo.2014.03.011>
20. Henmi, H., Endo, T., Kitajima, Y., Manase, K., Hata, H., & Kudo, R. (2003). Effects of ascorbic acid supplementation on serum progesterone levels in patients with a luteal phase defect. *Fertility and Sterility*, 80(2), 459–61.
21. Maghbooli, Z., Hossein-nezhad, A., Karimi, F., Shafaei, A.-R., & Larijani, B. (2008). Correlation between vitamin D3 deficiency and insulin resistance in pregnancy. *Diabetes/Metabolism Research and Reviews*, 24(1), 27–32. <https://doi.org/10.1002/dmrr.737>
22. Zarean, E., & Tarjan, A. (2017). Effect of Magnesium Supplement on Pregnancy Outcomes: A Randomized Control Trial. *Advanced Biomedical Research*, 6, 109. <https://doi.org/10.4103/2277-9175.213879>
23. Zini, A., & Al-Hathal, N. (2011). Antioxidant therapy in male infertility: fact or fiction? *Asian Journal of Andrology*, 13(3), 374–81. <https://doi.org/10.1038/aja.2010.182>
24. Akmal, M., Qadri, J. Q., Al-Waili, N. S., Thangal, S., Haq, A., & Saloom, K. Y. (2006). Improvement in Human Semen Quality After Oral Supplementation of Vitamin C. *Journal of Medicinal Food*, 9(3), 440–442. <https://doi.org/10.1089/jmf.2006.9.440>
25. Greco, E., Romano, S., Iacobelli, M., Ferrero, S., Baroni, E., Minasi, M. G., ... Tesarik, J. (2005). ICSI in cases of sperm DNA damage: beneficial effect of oral antioxidant treatment. *Human Reproduction*, 20(9), 2590–2594. <https://doi.org/10.1093/humrep/dei091>
26. Safarinejad, M. R., & Safarinejad, S. (2009). Efficacy of selenium and/or N-acetyl-cysteine for improving semen parameters in infertile men: a double-blind, placebo controlled, randomized study. *The Journal of Urology*, 181(2), 741–51. <https://doi.org/10.1016/j.juro.2008.10.015>
27. Ahmadi, S., Bashiri, R., Ghadiri-Anari, A., & Nadjarzadeh, A. (2016). Antioxidant supplements and semen parameters: An evidence based review. *International Journal of Reproductive Biomedicine (Yazd, Iran)*, 14(12), 729–736. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/28066832>
28. Tiseo, B. C., Gaskins, A. J., Hauser, R., Chavarro, J. E., Tanrikut, C., & EARTH Study Team. (2017). Coenzyme Q10 Intake From Food and Semen Parameters in a Subfertile Population. *Urology*, 102, 100–105. <https://doi.org/10.1016/j.urology.2016.11.022>
29. Balercia, G., Arnaldi, G., Fazioli, F., Serresi, M., Alleva, R., Mancini, A., ... Littarru, G. P. (2002). Coenzyme Q10 levels in idiopathic and varicocele-associated asthenozoospermia. *Andrologia*, 34(2), 107–111. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/11966577>
30. Nadjarzadeh, A., Shidfar, F., Amirjannati, N., Vafa, M. R., Motevalian, S. A., Gohari, M. R., ... Sadeghi, M. R. (2014). Effect of Coenzyme Q10 supplementation on antioxidant enzymes activity and oxidative stress of seminal plasma: a double-blind randomised clinical trial. *Andrologia*, 46(2), 177–183. <https://doi.org/10.1111/and.12062>
31. Sabeti, P., Pourmasumi, S., Rahiminia, T., Akyash, F., & Talebi, A. R. (2016). Etiologies of sperm oxidative stress. *International Journal of Reproductive Biomedicine (Yazd, Iran)*, 14(4), 231–40. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/27351024>
32. Ciftci, H., Verit, A., Savas, M., Yeni, E., & Erel, O. (2009). Effects of N-acetylcysteine on semen parameters and oxidative/antioxidant status. *Urology*, 74(1), 73–6. <https://doi.org/10.1016/j.urology.2009.02.034>
33. Ahmad, M. K., Mahdi, A. A., Shukla, K. K., Islam, N., Rajender, S., Madhukar, D., ... Ahmad, S. (2010). *Withania somnifera* improves semen quality by regulating reproductive hormone levels and oxidative stress in seminal plasma of infertile males. *Fertility and Sterility*, 94(3), 989–996. <https://doi.org/10.1016/j.fertnstert.2009.04.046>